

POOL AND SPA HEATING

High Performance Heater

Ultra-high Performance in a compact quiet and ECO-friendly design.



www.waterco.com





The Turbotemp heater's easy-to-read controls make system operation and monitoring simple. Pool and spa temperatures can be pre-set and controlled with the push of a button. A digital display indicates the water temperature, and five LED lights give you system status and let you know if the heater needs service.

POOL SIZING*

		Heater Size	÷	Heater Size			
°C Temperature Change/	Model 200	Model 300	Model 400	Model 200	Model 300	Model 400	
24 Hrs.	Ро	ol Capacity Litres	y in	Pool Surface Area in Sq. Mt. at 1.65m Depth			
2.77	368,635	552,954	737,269	220	329	439	
5.44	184,315	276,475	368,635	110	165	220	
8.31	122,878	184,319	245,756	73	110	146	
11.08	92,160	138,239	184,315	55	82	110	
13.85	73,728	110,595	147,453	44	66	88	
16.62	61,437	92,156	122,878	37	55	73	
19.39	52,663	78,994	105,325	31	47	63	
22.16	46,080	69,122	92,160	27	41	55	

Turbotemp"

High Performance Gas Pool Heaters

FAST, EFFICIENT, COMPACT, QUIET SAFE AND ECO-FRIENDLY

No matter what you're seeking in your swimming pool heater, the Turbotemp heater measures up. Compare this list of features to any other and you'll see why Turbotemp heaters are setting a new standard for total value.

- Very compact design.
- A fully pre-mixed burner system with a highly efficient air and gas mixture.
- Hot surface ignition eliminating the requirement for a pilot.
- Push button digital controls with easy to view rotating display.
- Engineered for super quiet operation.
- Certified for low NOx emissions.
- · Safe operation through a series of features including:-
 - Water pressure switch
 - Over temperature switch
 - Stack flue sensor
 - Manual gas shut-off for servicing
- Approved for installation on combustible surfaces.
- Cupro nickel heat exchanger.





SPA SIZING*

	Spa Volume (Litres)								
Model	750	1,150	1,500	1,900	2,250	2,650	3,000	3,400	3,800
	Minutes for 16.2°C (30°F) Temperature Rise (Heater Input in 1000 BTU/HR)								
200	18.0	27.0	35.0	44.0	53.0	62.0	71.0	80.0	89.0
300	13.5	20.0	26.5	33.0	40.0	46.5	53.0	60.0	66.5
400	9.0	13.0	18.0	22.0	27.0	31.0	35.0	40.0	44.0





The Turbotemp 125 gas pool heater delivers 82% thermal efficiency to keep operating costs low throughout the year with its state-ofthe-art pre-mixed combustion technology. The advanced digital display/controller provides greater information and better control. The lightweight, compact design makes the Turbotemp 125Mj gas pool heater easier to install than most other heaters in its class-saving time and money.

- Easy-to-read digital display makes programming and monitoring effortless
- Rotating display places controls front and center for any installation ٠ orientation
- Lightweight, corrosion and UV-resistant enclosure ٠
- Very compact design - 53.3cm(L) x 53.3cm(W) x 58.4cm(H)
- 40mm plumbing is ideal for bodies of water up to 30,000L •
- Cupro nickel heat exchanger •
- Natural or Liquefied Petroleum gas models

	TIME TO HEAT IN HOURS							
Spa Size (Litres)	TEMPERATURE RISE (DEGREES CELCIUS) WITH COVER							
(Emes)	5°	10°	15°	20°	25°	30°		
1000	0.2	0.4	0.6	0.8	1.0	1.2		
2000	0.4	0.8	1.2	1.5	1.9	2.3		
3000	0.6	1.2	1.7	2.3	2.9	3.5		
4000	0.8	1.5	2.3	3.1	3.9	4.6		
5000	1.0	1.9	2.9	3.9	4.8	5.8		
10000	1.9	3.9	5.8	7.7	9.7	11.6		
15000	2.9	5.8	8.7	11.6				
20000	3.9	7.7	11.6					
25000	4.8	9.7						
30000	5.8	11.6						

FFICES - AUSTRALIA SW - Sydney (Head Office) sl: +61 2 9898 8600	
LD - Brisbane sl: +61 7 3299 9900	
C/TAS - Melbourne el: +61 3 9764 1211	
/A - Perth el: +61 8 9273 1900	
A/NT - Adelaide el: +61 8 8244 6000	
CT Distribution h: +61 2 6280 6476	

OFFICES - OVERSEAS Waterco (Europe) Limited

Sittingbourne, Kent. UK Tel: +44 (0) 1795 521 733 Waterco (USA) Inc Augusta, Georgia, USA Tel: +1 706 793 7291 Waterco Canada Longueuil, Quebec, Canada Tel: +1 450 748 1421 Waterco (NZ) Limited Auckland, New Zealand Tel: +64 9 525 7570

Waterco France SAINT PRIEST, France. Tel: +33 4 72 79 33 30

Waterco (Far East) Sdn Bhd Selangor, Malaysia Tel: +60 3 6145 6000 PT Waterco Indonesia Jakarta, Indonesia Tel: +62 21 4585 1481 Waterco Singapore Intl Pte Ltd Nehsons Building, Singapore Tel: +65 6344 2378

Waterco (C) Limited

Guangzhou, China Tel: +86 20 3222 2180

In the interest of providing better quality and value we are constantly improving and updating our products. Consequently, pictures and information on our brochures may sometimes vary slightly from models available.

DISTRIBUTED BY: WATERCO X

SPASA

